Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	1	(US-20030055962-\$).did.	US-PGPUB	OR	ON	2005/09/28 16:18
L2	1	1 and "router compliance table"	US-PGPUB	OR	ON	2005/09/28 . 16:19
L3	1	1 and "router compliance table" same port	US-PGPUB	OR	ON	2005/09/28 16:24
L4	1	1 and "router compliance table" same address	US-PGPUB	OR	ON	2005/09/28 16:37
L5	0	1 and switch	US-PGPUB	OR	ON	2005/09/28 16:38
L6	1	1 and "313"	US-PGPUB	OR	ON .	2005/09/28 16:38
L7	19	(US-20020112076-\$ or US-20020120782-\$ or US-20030014659-\$ or US-200300123465-\$ or US-20030055962-\$).did. or (US-5623601-\$ or US-5826014-\$ or US-5987606-\$ or US-5991810-\$ or US-6182141-\$ or US-6182226-\$ or US-6233618-\$ or US-6233618-\$ or US-6389462-\$ or US-6473406-\$ or US-6473406-\$ or US-6606650-\$ or US-6754709-\$ or US-6772214-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/28 16:40
L8	6	7 and (login authentic\$3) with (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:46
L9	70	router with (login authentic\$3) with (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:46
L10	15	(router with (login authentic\$3) with (user)).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON /	2005/09/28 16:47
L11	17	<pre>(router with (login authentic\$3) with (user)) and content with (filter\$3 restrict\$3)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:48

				, -		
S1	16	content with (filter\$3 restrict\$3) with (port adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:43
S2	17	content with (custom\$7 personal\$7 filter\$3 restrict\$3) with (port adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:04
S3	35	content with (custom\$7 personal\$7 filter\$3 restrict\$3 block\$3) with (port adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:24
S4	123	content with (receiv\$3 recept\$3 delivery) with (port adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 10:38
S5	4587	content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:04
S6	94	S5 and port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 10:41
S7	329	content adj filter\$3 with (client user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 10:41
S8	23	S7 and port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S9	16	content adj filter\$3 same (client terminal workstation console) with (install\$3 add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:05
S10	9	(content adj filter\$3 same (client terminal workstation console) with (install\$3 add\$3)).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:05

						
S11	55	("5678041" "5696898" "5706507" "5708780" "5710883" "5835712" "5889958" "5933600" "5933827" "5941947" "5950195" "5953732" "5983176" "5991810" "6078924" "6088717" "6154775").PN. OR ("6233618").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27
S12	34	S11 and (proxy gateway intermediary)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27
S13	. 1	"6738901".pn.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:17
S14	0	content adj (filter\$3 restrict\$3) and port adj renumber\$3	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:21
S15	0	port adj renumber\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 12:21
S16	534	port adj translat\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 13:24
S17	0	content adj (filter\$3 restrict\$3) and S16	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 12:41
S18	182	content adj (filter\$3 restrict\$3) and proxy and gateway	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:52
S19	66	content adj (filter\$3 restrict\$3) and proxy with cach\$3 and gateway	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:43
S20	0	S19 and prot	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:43
S21	31	S19 and port	US-PGPUB ; USPAT; USOCR	OR .	ON	2005/08/27 12:43
S22		("5678041" "5826014" "5878233" "5884025" "5913025" "5991810" "6081900" "6112228" "6122666" "6151584" "6151601" "6438579" "6493744" "6513061"). PN. OR ("6772214").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:46

S23	120	("4713753" "4727243" "4799156" "5191611" "5241594" "5416842" "5483661" "5491752" "5495533" "5548721" "5550984" "5577209" "5590199" "5602918" "5632011" "5636371" "5638448" "5657452" "5668876" "5687235") .PN. OR ("5826014") .URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 12:48
S24	94	<pre>content adj (filter\$3 restrict\$3) and (filter\$3 restrict\$3) with (rule) with (user ip adj address)</pre>	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 12:53
.S25	22	("5673322" "5706507" "5732216").PN. OR ("5987606").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 13:06
S26	44	S24 and port	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 13:07
S27	9	(proxy gateway) with (listen\$3) with (different special odd rare) with (port)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 13:11
S28	9	(proxy gateway) with (listen\$3) with (different special odd rare) with (port)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 13:12
S29	3	<pre>(proxy gateway) with (listen\$3) with (port) and (content) adj (filter\$3 restrict\$3)</pre>	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 13:13
S30	27	(listen\$3) with (port) and (content) adj (filter\$3 restrict\$3)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/27 13:24
S31	154	(port adj translat\$3). bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:41
S32	20	switch with (serveriron alpine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:41
S33	265	cacheflow inktomi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:10

		r	T		T	1
S34	26	websense surfcontrol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S35	309	S32 S33 S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S36	1	S32 and S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S37	1	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:42
S38	58	S33 and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:10
S39	17	S33 and port adj numbèr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:50
S40	118	"port address translation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:51
S41	5	S40 and content with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/08/27 13:51
S42	7	S34 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:10
S43	81	S33 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:10

		:				
S44	26	S43 and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S45	1	(US-6389462-\$).did.	USPAT	OR	ON	2005/08/27 14:11
S46	1	S45 and (bogus ghost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:21
S47	1	S45 and "80"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:21
S48	3	transparent adj proxy and content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:56
S49	0	squidguard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 15:35
S50	7494	squid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 16:15
S51	34	squid with proxy with cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27
S52	19	S51 and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 16:15
S53	3	(smart intelligent) with (proxy) with cach\$3 same (filter\$3 restrict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:16

S54	23	("14" layer adj ("4" four) with switch) and content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13
\$55	3	("14" layer adj ("4" four) with switch) same redirect\$3 and content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:16
S56	20	("14" layer adj ("4" four) adj switch) and content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13
S57	223	(("14" layer adj ("4" four)) adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13
S58	26	(("14" layer adj ("4" four)) adj switch) with redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/09/13 17:30
S59	0	transparent adj proxy with content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR .	ON	2005/09/13 17:30
S60	0	transparent adj proxy same content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/09/13 17:31
S61	3	transparent adj proxy and content adj filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/09/13 17:31
S62	2	"6,182,141".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:31
S63	10	(transparent adj proxy). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:54

	1		1 .	Υ		1
S64	16	("6182141").URPN.	USPAT	OR	ON	2005/09/13 17:34
S65	1	(US-6182141-\$).did.	USPAT	OR	ON	2005/09/13 17:54
S66	1	S65 and well adj known	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:54
S67	1	(US-20030014659-\$).did.	US-PGPUB	OR	ON	2005/09/13 18:28
S68	1	S67 and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 18:30
S69	0.	S67 and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 18:30
S70	2	"5623601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:44
S71	2	S70 and port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:45
S72	1021913	port wirh bound with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:45
S73	117	port with bound with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:45
S74	53	port with bound with (user client) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:45

S75	22	port with bound with (user) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:46
S76	47	port with (bind\$3 bound) with (user) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:46
S77	5	port with (bind\$3 bound) with (user) and content with (restrict\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:47
S78	10	port with (bind\$3 bound) with (user client) and content with (restrict\$3 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:02
S79	. 8	st-bernard\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:02
S80	0	iprism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:02
S82	5	i\$1prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:03
S83	233	("5623601").URPN.	USPAT	OR	ON	2005/09/21 14:03
S84	226	S83 and (port interface socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:04
S85	116	S83 and (port interface socket) with (number numeral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:04

						·
S86	82	S83 and (port) with (number numeral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:07
S87	79	S86 and (@ad<"20011228" @pd<"20011228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:38
S88	6	S83 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:39
S89	496	(restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) same (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:39
S90	3726	<pre>(restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:38
S91	2798	S90 and (@ad<"20011228" @pd<"20011228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/09/21 14:39
S92	705	S91 and (proxy gateway transparent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:38
S93	72	S92 and appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/09/21 14:38
S94	16888	<pre>(restrict\$3 filter\$3 prevent\$3 obstruct\$3 disallow\$3 refus\$3) with (proxy gateway appliance)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:39

						Y
S95	154	S94 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:42
S96	87	S95 and (@ad<"20011228" @pd<"20011228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:41
S97	52	<pre>(i\$1prism smartfilter "im web inspector" super\$1scout i\$1gear i2100)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:57
S98	41	S97 and (@ad<"20011228" @pd<"20011228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:41
S99	0	S96 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:41
S10 0	128	S96 S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:41
S10 1	87	S100 and (port) with (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:43
S10 2	50	S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:46
S10 3	8	S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) with (user client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:52

S10 4	1	S100 and (port) adj (number numeral) with (translat\$3 renumber\$3 chang\$3 adapt\$3 transform\$3 reassign\$3) with (privilege level authori\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:53
S10 5	10	(i\$1prism smartfilter "im web inspector" super\$1scout i\$1gear i2100) and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:04
S10 6	1	(US-6754709-\$).did.	USPAT	OR	ON	2005/09/21 15:03
S10 7	0	S106 and gnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:04
S10 9	1	S106 and gnat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/09/21 15:04
S11 0	1	S106 and gnat same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:29
S11 1	15	cacheflow.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:29
S11 2	15	cacheflow\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:30
S11 3	10	cacheflow with appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 18:42
S11 4	68	<pre>(determin\$3 identif\$7) with (firewall proxy nat gateway) with (attempt\$3 try\$3 test\$3 attack\$3) with (establish\$3 open\$3 initiat\$5)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 18:49

S11 5	35	S114 and (@ad<"20011228" @pd<"20011228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 18:48
S11 7	24	<pre>interpol and (network internet) and (filter\$3 restrict\$3)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:14
S11 8	85	interpol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:14
S11 9	25	sonicwall and (network internet) and (filter\$3 restrict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:14
S12 0	1	(US-20030055962-\$).did.	US-PGPUB	OR	ON	2005/09/28 14:45
S12 1	0	S120 and sandbox same proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:08
S12 2	0	S120 and (authenticat\$3 login logging adj in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:09